

FLOOR!T®

THE WOODEN FLOOR

*Classic single
planks*

COLLECTION
CLASSIC

COLLECTION CLASSIC

Product structure and technical data



Specification

Classic oak wooden 1-strip flooring
 Classic larch wooden 1-strip flooring
 Walnut wooden 1-strip flooring

Grading

Natural: almost no knots and without sapwood
 Standard: knotty grading almost without sapwood
 Rustic: knotty appearance with cracks & sapwood
 Country: knotty grading with slightly sapwood
 Mix-Grade Royal

Surface

Coated with oxidative natural oil SafeTOP®:
 Special transparent and oxidative surface treatment process.

Thermal conductivity

0.14 W/mK

Thermal transmittance

0.12 m² K/W

Packing unit Collection Classic			
14 x 190 x 1,860 mm	8 Planks	= 1 Box	= 2.827 m²
	40 Boxes	= 1 Pallet	= 113.088 m²
	12 Pallets	= 20' Container	= 1,357.056 m²
	24 Pallets	= 40' Container	= 2,714.112 m²
14 x 190 x 1,900 mm	8 Planks	= 1 Box	= 2.888 m²
	40 Boxes	= 1 Pallet	= 115.520 m²
	12 Pallets	= 20' Container	= 1,386.240 m²
	24 Pallets	= 40' Container	= 2,772.480 m²
15 x 189 x 1,860 mm	8 Planks	= 1 Box	= 2.812 m²
	40 Boxes	= 1 Pallet	= 112.493 m²
	12 Pallets	= 20' Container	= 1,349.914 m²
	24 Pallets	= 40' Container	= 2,699.828 m²


Color and dimensional deviations possible, pictures are examples. Changes and errors excepted. Status of technical data, September 2020.



SafeTop® technology stands for highest standards in surface processing. It ist the perfect finishing to fulfil the wish for a natural raw timber effect.
 The oxidative oiled surface is extremely matte and conserves the natural optics without any intensification. The flooring has an end finishing and can be used directly a er the installation.

COLLECTION CLASSIC

Classic single planks



Parquet is warm, genuine and unique, creating a wonderful feeling of living. The selection of products from the **Classic Collection** meets this demand. Oak wood calm, lively or rustic. Sorting is done by hand to select the matching grains and structures as carefully as possible.

In addition to elegant oak colors, the selection is complemented by harmonious larch wood rounded. Oiled and matt lacquered products are also included in the range of surface finishes.

So there is sure to be the right product for every personal taste.

Thanks to the patented drop-down-click system, installation is also quick, clean and very easy. The planks are oiled ready to use.

The Collection Classic thus combines beauty and goodness in every floor.

Picture shows **Oak Brida 11011** - brushed, transparent oiled, SafeTop® Technology





BRUSHED



SAWN VENEER



OILED
READY-FOR-USE



MATTE LACQUERED



4-SIDED
BEVELLED EDGES



2-SIDED
BEVELLED EDGES



OAK BRIDA – brushed, transparent oiled, SafeTop® techn.

110

11

14/3 x 190 x 1,860 mm

OAK NEW-LINHART – brushed, natural oiled

101

20

15/3 x 189 x 1,860 mm

OAK NEW-CLEWIN – brushed, natural oiled

101

28

15/3 x 189 x 1,860 mm

OAK NEW-WENDEL – brushed, natural oiled

101

29

15/3 x 189 x 1,860 mm

OAK ENDRES – brushed, natural oiled

101

14

15/4 x 189 x 1,860 mm

OAK AUBERLIN – brushed, deep smoked, natural oiled

101

15

15/4 x 189 x 1,860 mm

OAK MERTEN – brushed, matte lacquered natural


101

57

14/3 x 190 x 1,900 mm

14 exclusive oiled surfaces/
matte lacquered, ready for use.

FLOOR!T[®]
THE WOODEN FLOOR




OAK BENTZ – brushed, deep smoked, white oiled

101

18

15/4 x 189 x 1,860 mm



LARCH ENNLIN – deep brushed, natural oiled

101

16

15/4 x 189 x 1,860 mm




LARCH KETLIN – deep brushed, white oiled

101

17

15/4 x 189 x 1,860 mm



OAK NOBLESSE – brushed, natural oiled

101

59

14/3 x 190 x 1,900 mm




OAK COMFORT – brushed, white oiled

101

60

14/3 x 190 x 1,900 mm




AM. WALNUT HAWAII – natural oiled

105

06

15/4 x 189 x 1,860 mm



OAK BESTLIN – brushed, matte lacquered white

101

58

14/3 x 190 x 1,900 mm

COLLECTION CLASSIC

CLASSIC
SINGLE PLANKS

Picture shows Oak NEW Clewin 10128 - rustic grading, planks bevelled on both sides, brushed, natural oiled



Producent

Ablux

ul. Dąbrowskiego 6

87-100 Toruń

tel.: +48 500 200 580



Ablux